BRAIN RESEARCH

VOL. 756 NOS. 1,2 **CONTENTS** **9 MAY 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Effect of substituting amino acids in extracellular disulfide loop on GABA ρ_1 subunit function
L. Lu (USA) 1

Distribution of inositol-1,4,5-trisphosphate and ryanodine receptors in rat neostriatum
M.E. Martone, S.A. Alba, V.M. Edelman, J.A. Airey and M.H. Ellisman (USA) 9

Neural responses to bitter compounds in rats
M. Dahl, R.P. Erickson and S.A. Simon (USA) 22

Changes in glutamate receptors, c-*fos* mRNA expression and activator protein-1 (AP-1) DNA binding activity in the brain of phenobarbital-dependent and -withdrawn rats
S. Tanaka, Y. Kiuchi, S. Numazawa, K. Oguchi, T. Yoshida and Y. Kuroiwa (Japan) 35

Neurotransmission of the Bezold-Jarisch reflex in the nucleus tractus solitarii of sino-aortic deafferentated rats
D.A. Chianca Jr., L.G.H. Bonagamba and B.H. Machado (Brazil) 46

Ultrastructural localization of CD38 immunoreactivity in rat brain
M. Yamada, M. Mizuguchi, N. Otsuka, K. Ikeda and H. Takahashi (Japan) 52

Expression of endothelin receptors and nitric oxide synthase in the brain of stroke-prone spontaneously hypertensive rats with cerebral apoplexy
Y. Sakurai-Yamashita, K. Yamashita, Y. Kataoka, A. Himeno, M. Niwa and K. Taniyama (Japan) 61

Decreased dorsal raphe nucleus neuronal activity in adult chloral hydrate anesthetized rats following neonatal clomipramine treatment: implications for endogenous depression
G.G. Kinney, G.W. Vogel and P. Feng (USA) 68

Adeno-associated virus (AAV) vector antisense gene transfer in vivo decreases $GABA_A$ α_1 containing receptors and increases inferior collicular seizure sensitivity
X. Xiao, T.J. McCown, J. Li, G.R. Breese, A.L. Morrow and R.J. Samulski (USA) 76

Single doses of MK-801, a non-competitive antagonist of NMDA receptors, increase the number of $5\text{-}HT_{1A}$ serotonin receptors in the rat brain
K. Wędzony, M. Maćkowiak, A. Czyrak, K. Fijał and B. Michalska (Poland) 84

Circadian rhythm in the response to intracerebroventricular administration of 8-OH-DPAT
H. Nagayama and J.-Q. Lu (Japan) 92

Effects of alcohol consumption on lateralized aggression in *Anolis carolinensis*
A.W. Deckel (USA) 96

Disinhibition of the hypothalamic paraventricular nucleus increases mean circulatory filling pressure in conscious rats
D.S. Martin, M.C. Rodrigo, M.C. Egland and L.U. Barnes (USA) 106

Locus coeruleus activation by colon distention: role of corticotropin-releasing factor and excitatory amino acids
S.M. Lechner, A.L. Curtis, R. Brons and R.J. Valentino (USA) 114

Increased expression of M2 muscarinic receptor mRNA and binding sites in the rostral ventrolateral medulla of spontaneously hypertensive rats
M. Gattu, J. Wei, J.R. Pauly, S. Urbanawiz and J.J. Buccafusco (USA) 125

Metabolic and permeability changes caused by thiamine deficiency in immortalized rat brain microvessel endothelial cells
I.A. Romero, R.J. Rist, A. Aleshaiker and N.J. Abbott (UK) 133

The development of morphine tolerance and dependence in rats with chronic pain
W. Yu, J.-X. Hao, X.-J. Xu and Z. Wiesenfeld-Hallin (Sweden) 141

Rat's claustrum shows two main cortico-related zones
M. Sadowski, J. Moryś, K. Jakubowska-Sadowska and O. Narkiewicz (Poland) 147

Opposite modulatory effects of ovarian hormones on rat brain dopamine and serotonin transporters
G. Attali, A. Weizman, I. Gil-Ad and M. Rehavi (Israel) 153

NMDA and non-NMDA receptor antagonists protect against excitotoxic injury in the rat spinal cord
S. Liu, G.L. Ruenes and R.P. Yezierski (USA) 160

Saccadic eye movements, even in darkness, generate event-related potentials recorded in medial septum and medial temporal cortex
S. Sobotka and J.L. Ringo (USA) 168

(contents continued on p. 314)

0006-8993(19970509)756:1/2;1-G

BRAIN RESEARCH

VOL. 756 NOS. 1,2 **CONTENTS** **9 MAY 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Note v

Guidelines for the submission of manuscripts vii

Research reports

Effect of substituting amino acids in extracellular disulfide loop on GABA ρ_1 subunit function
L. Lu (USA) 1

Distribution of inositol-1,4,5-trisphosphate and ryanodine receptors in rat neostriatum
M.E. Martone, S.A. Alba, V.M. Edelman, J.A. Airey and M.H. Ellisman (USA) 9

Neural responses to bitter compounds in rats
M. Dahl, R.P. Erickson and S.A. Simon (USA) 22

Changes in glutamate receptors, c-*fos* mRNA expression and activator protein-1 (AP-1) DNA binding activity in the brain of phenobarbital-dependent and -withdrawn rats
S. Tanaka, Y. Kiuchi, S. Numazawa, K. Oguchi, T. Yoshida and Y. Kuroiwa (Japan) 35

Neurotransmission of the Bezold-Jarisch reflex in the nucleus tractus solitarii of sino-aortic deafferentated rats
D.A. Chianca Jr., L.G.H. Bonagamba and B.H. Machado (Brazil) 46

Ultrastructural localization of CD38 immunoreactivity in rat brain
M. Yamada, M. Mizuguchi, N. Otsuka, K. Ikeda and H. Takahashi (Japan) 52

Expression of endothelin receptors and nitric oxide synthase in the brain of stroke-prone spontaneously hypertensive rats with cerebral apoplexy
Y. Sakurai-Yamashita, K. Yamashita, Y. Kataoka, A. Himeno, M. Niwa and K. Taniyama (Japan) 61

Decreased dorsal raphe nucleus neuronal activity in adult chloral hydrate anesthetized rats following neonatal clomipramine treatment: implications for endogenous depression
G.G. Kinney, G.W. Vogel and P. Feng (USA) 68

Adeno-associated virus (AAV) vector antisense gene transfer in vivo decreases $GABA_A$ α_1 containing receptors and increases inferior collicular seizure sensitivity
X. Xiao, T.J. McCown, J. Li, G.R. Breese, A.L. Morrow and R.J. Samulski (USA) 76

Single doses of MK-801, a non-competitive antagonist of NMDA receptors, increase the number of $5\text{-}HT_{1A}$ serotonin receptors in the rat brain
K. Wędzony, M. Maćkowiak, A. Czyrak, K. Fijał and B. Michalska (Poland) 84

Circadian rhythm in the response to intracerebroventricular administration of 8-OH-DPAT
H. Nagayama and J.-Q. Lu (Japan) 92

Effects of alcohol consumption on lateralized aggression in *Anolis carolinensis*
A.W. Deckel (USA) 96

Disinhibition of the hypothalamic paraventricular nucleus increases mean circulatory filling pressure in conscious rats
D.S. Martin, M.C. Rodrigo, M.C. Egland and L.U. Barnes (USA) 106

Locus coeruleus activation by colon distention: role of corticotropin-releasing factor and excitatory amino acids
S.M. Lechner, A.L. Curtis, R. Brons and R.J. Valentino (USA) 114

Increased expression of M2 muscarinic receptor mRNA and binding sites in the rostral ventrolateral medulla of spontaneously hypertensive rats
M. Gattu, J. Wei, J.R. Pauly, S. Urbanawiz and J.J. Buccafusco (USA) 125

Metabolic and permeability changes caused by thiamine deficiency in immortalized rat brain microvessel endothelial cells
I.A. Romero, R.J. Rist, A. Aleshaiker and N.J. Abbott (UK) 133

The development of morphine tolerance and dependence in rats with chronic pain
W. Yu, J.-X. Hao, X.-J. Xu and Z. Wiesenfeld-Hallin (Sweden) 141

Rat's claustrum shows two main cortico-related zones
M. Sadowski, J. Moryś, K. Jakubowska-Sadowska and O. Narkiewicz (Poland) 147

Opposite modulatory effects of ovarian hormones on rat brain dopamine and serotonin transporters
G. Attali, A. Weizman, I. Gil-Ad and M. Rehavi (Israel) 153

NMDA and non-NMDA receptor antagonists protect against excitotoxic injury in the rat spinal cord
S. Liu, G.L. Ruenes and R.P. Yezierski (USA) 160

Saccadic eye movements, even in darkness, generate event-related potentials recorded in medial septum and medial temporal cortex
S. Sobotka and J.L. Ringo (USA) 168

(contents continued on p. 314)

0006-8993(19970509)756:1/2;1-G

(contents continued)

Galparan induces in vivo acetylcholine release in the frontal cortex
S. Consolo, G. Baldi, L. Nannini, M.C. Uboldi, M. Pooga, Ü. Langel and T. Bartfai (Italy, Estonia, Sweden) 174
Decreased cocaine- and lidocaine-induced seizure response by dextromethorphan and DNQX in rat
S.A. Barat and M.S. Abdel-Rahman (USA) 179
A role for adenosine A_2 receptors in the induction of long-term potentiation in the CA1 region of rat hippocampus
K. Kessey, B.L. Trommer, L.S. Overstreet, T. Ji and D.J. Mogul (USA) 184
Thymus graft reverses morphological deficits in dorsolateral frontal cortex of congenitally athymic nude mice
G.O. Gaufo and M.C. Diamond (USA) 191
BDNF prevents NO mediated glutamate cytotoxicity in cultured cortical neurons
T. Kume, H. Kouchiyama, S. Kaneko, T. Maeda, S. Kaneko, A. Akaike, S. Shimohama, T. Kihara, J. Kimura, K. Wada and S. Koizumi (Japan) 200
Basic FGF attenuates amyloid β-peptide-induced oxidative stress, mitochondrial dysfunction, and impairment of Na^+/K^+-ATPase activity in hippocampal neurons
R.J. Mark, J.N. Keller, I. Kruman and M.P. Mattson (USA) 205
Distribution of ionotropic glutamate receptor subunit immunoreactivity in the suprachiasmatic nucleus and intergeniculate leaflet of the hamster
J.A. Stamp, H.D. Piggins, B. Rusak and K. Semba (Canada) 215
A novel type of calcium channel sensitive to ω-agatoxin-TK in cultured rat cerebral cortical neurons
T. Teramoto, T. Niidome, M. Kimura, M. Ohgoh, Y. Nishizawa, K. Katayama, T. Mayumi and K. Sawada (Japan) 225
Neuroprotective sigma ligands attenuate NMDA and *trans*-ACPD-induced calcium signaling in rat primary neurons
K.L. Klette, Y. Lin, L.E. Clapp, M.A. DeCoster, J.E. Moreton and F.C. Tortella (USA) 231
Distributions of single neurons related to body parts in the lateral striatum of the rat
J. Cho and M.O. West (USA) 241
Riluzole reduces brain lesions and improves neurological function in rats after a traumatic brain injury
F. Wahl, E. Renou, V. Mary and J.-M. Stutzmann (France) 247
Brain microsomal metabolism of phencyclidine in male and female rats
E.M. Laurenzana and S.M. Owens (USA) 256
Nicotinic control of tuberoinfundibular dopaminergic neuron activity and prolactin secretion: diurnal rhythm and involvement of endogenous opioidergic system
K.-R. Shieh and J.-T. Pan (Taiwan, ROC) 266

Short communications

Axon sparing lesions of the medial preoptic area block female sexual behavior
S.L. Veney and E.F. Rissman (USA) 273
Ethanol-induced c-Fos expression in rat lines selected for low and high alcohol consumption
T.E. Thiele, G. Van Dijk and I.L. Bernstein (USA) 278
Heterogeneity in the neuropeptide Y-containing neurons of the rat arcuate nucleus: GABAergic and non-GABAergic subpopulations
T.L. Horvath, I. Bechmann, F. Naftolin, S.P. Kalra and C. Leranth (USA, Germany) 283
Effects of ethanol and nomifensine on NE clearance in the cerebellum of young and aged Fischer 344 rats
A.M.-Y. Lin, P.C. Bickford, M.R. Palmer, E.J. Cline and G.A. Gerhardt (USA, Taiwan) 287
The antidopaminergic action of S-20098 is mediated by benzodiazepine/GABA$_A$ receptors in the striatum
C.C. Tenn and L.P. Niles (Canada) 293
Viscero-somatic neurons in the primary somatosensory cortex (SI) of the squirrel monkey
J. Brüggemann, T. Shi and A.V. Apkarian (USA) 297
Inhibition of NMDA-induced increase in brain temperature by *N*-ω-nitro-L-arginine and indomethacin in rats
S. Hara, T. Mukai, F. Kuriiwa, N. Iwata, T. Yanase, S. Kano and T. Endo (Japan) 301
Induction of NGFI-A gene expression in the rat suprachiasmatic nucleus by photic stimulation
M. Tanaka, F. Amaya, Y. Tamada, H. Okamura, Y. Hisa and Y. Ibata (Japan) 305

Author Index 311